



BV Lab Number:
 Technician
 Name:
 Test Date:
 Reviewed
 By/Date: Page 1 of 4

DILLARD'S INC TEST PROTOCOL FOR
DILL-02065-USA- (V36)
SMALL LEATHER GOODS (WALLET)

Evaluation	Citation / Method	No. of Samples	Criteria	Notes	Result	Rating
SCOPE: This protocol is applicable for testing of small leather goods (wallet) for children and adult.						
SUPPLEMENTARY PROTOCOL						
Note: Additional cost, sample size & TAT may be required if testing to one or more supplemental protocol is necessary. Please refer to the below referenced supplemental protocol(s) for additional information.						
A R	California Proposition 65	DILL-AN-PTCL- 06572-USA	-	The sample should be reviewed against the requirements of California Proposition 65.		
LABELING						
M R	US Packaging labeling	F.P. and L. Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130	All	Packaging shall be labelled with the following, Product Identification Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units) Manufacturer, packer, or distributor's name & address (City, State & Zip Code)		
M R	Country of origin marking	19 CFR 134	All	Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.		
	Use labeling	CPSD-GB-01057- MTHD	All	Use/care instructions shall be clear, concise and understandable, provide step- by-step method of use and be provided in language appropriate to destination countries. Provide a copy of the instructions in the report.		
PHYSICAL CHARACTERISTICS						
	Dimensions - height	CPSD-GB-01056- MTHD	1	Report overall height. Shall meet label claims.		
	Dimensions - width	CPSD-GB-01056- MTHD	1	Report overall width; shall meet label claims		
	Dimensions - depth	CPSD-GB-01056- MTHD	1	Report overall depth; shall meet label claims.		
	Dimensions - thickness	CPSD-GB-01056- MTHD	1	Report overall thickness. Shall meet label claims.		
	Other features	CPSD-GB-01057- MTHD	All	Shall be as claimed.		
	Number of internal pouches or pockets or openings	CPSD-GB-01057- MTHD	All	Shall be as claimed.		
	Number of main	CPSD-GB-01057-	All	Shall be as claimed.		



BV Lab Number:
 Technician
 Name:
 Test Date:
 Reviewed
 By/Date: Page 2 of 4

DILLARD'S INC TEST PROTOCOL FOR
DILL-02065-USA- (V36)
SMALL LEATHER GOODS (WALLET)

Evaluation	Citation / Method	No. of Samples	Criteria	Notes	Result	Rating
compartments	MTHD					
Number of external pouches or pockets or openings	CPSD-GB-01057-MTHD	All	Shall be as claimed.			
Fabric weight	ASTM D3776-20	1	Shall be as claimed ($\pm 5\%$) For claimed weight submitted in range, $\pm 5\%$ applicable on the upper and lower limit of submitted the range.			
WORKMANSHIP						
Hazardous sharp point and sharp edge	16 CFR 1500.48 & 49 (Mod)	--	Shall have no sharp points / edges, other than those required for function. Modification: Expanded scope to other products.			
Defects and workmanship	CPSD-GB-01057-MTHD	--	Shall have no discernible surface degradation, including crazing, shivering, denting, bubbles, cracks, stains, deformations, chips, fractures, heavy lines, waves, shear marks, scratches, scuff marks, indentations, or blisters. Shall have no components missing, malformed, and/or fractured.			
Fabric defects	ASTM D3990-12 (R2020)	1	No critical defects.			
PERFORMANCE						
Actual use - functionality	CPSD-GB-01058-MTHD	All	Shall function as intended as received. Report details of evaluation (features tested / methods used / materials used / etc.) Report any features not evaluated.			
Breaking strength of textile fabrics: grab test	ASTM D5034-21		Minimum 25 lbf Note: Pass / fail base on result of overall fabric break.			
Seam strength	ASTM D1683-22 Modified	1	[Pocket/Bottom/Side/Zipper] 25 lb minimum 7 lb minimum per pockets and lining Modification: Expanded the scope to other than apparel.			
Handle strength	ASTM D1683-22 Modified	2	Handles / shoulder straps: 25 lb minimum.			



BV Lab Number:
 Technician
 Name:
 Test Date:
 Reviewed
 By/Date: Page 3 of 4

DILLARD'S INC TEST PROTOCOL FOR
DILL-02065-USA- (V36)
SMALL LEATHER GOODS (WALLET)

Evaluation	Citation / Method	No. of Samples	Criteria	Notes	Result	Rating
			Modification: Expanded scope to other products.			
Holding strength of snap fasteners	ASTM D7142-05 (R2021)	All	17 lb for 10 seconds			
Flexing test	CPSD-SL-81002-MTHD	1	No cracking after 10,000 cycles			
Tearing strength: tongue tear of leather	ASTM D4704-13(R2023)	2	[Leather only] Record all-report average Specifications by thickness: - Less than 0.6mm: 2 x 2 lb - 0.6 to 0.8mm: 3 x 3 lb - 0.81 to 1.0mm: 4 x 4 lb - 1.01 to 1.2mm: 5 x 5 lb - 1.21 to 1.4mm: 6 x 6 lb			
A RFID blocking	BV Buffalo internal test procedure	-	[For RFID protection product] Use RFID scanner and card operating at a frequency of 13.56 MHz to measure the maximum detectable distance of the card. Repeat with the card inside the protection product. Report whether card insides the protection product can be detected and distance of detection to evaluate the attenuation of protection product. Record as data only.			
A Resistance to corrosion	ASTM B117-19 modified	1	Shall withstand 24 hours in 1% salt spray (fog) with no noticeable oxidation / corrosion / visual changes. Modification: 1% salt spray (fog).			
COLORFASTNESS						
Colorfastness to crocking	AATCC 8-16e(2022)e	1	[Face / Back / Edge] Dry: Grade 3.0 minimum Wet: Grade 2.0 minimum Note: Client does not accept 116 for wallets.			



BV Lab Number:
 Technician Name:
 Test Date:
 Reviewed By/Date: **Page 4 of 4**

DILLARD'S INC TEST PROTOCOL FOR
DILL-02065-USA- (V36)
SMALL LEATHER GOODS (WALLET)

No. Of Samples Required for Complete Testing		4 pieces, 2 sets of metal, 4 A4 leather, 1.5 yards of fabric
No. Of (Fully Packed) Cartons For Transit Testing:	1	
No. Of Working Days For Complete Testing:	7	TAT may be longer if test with " RFID blocking" test

Client Approval:	Lucy Feng
	24/Sep/2024
Creation Date:	27/Aug/2003
Last Revision Date:	14/Sep/2024
Pricing Review Date	
Technical Review Date:	13/Feb/2015

Key

A Additional Charge For This Test
 M Mandatory
 R Regulatory

Result Key

C Claimed
 R Recorded
 M Meets
 NM Does Not Meet
 NA Not Applicable
 NT Not Tested

Rating Key

PASS Pass
 FAIL Fail
 NR Not Requested